Fluid Phase Equilibria, 92 (1994) 317–318
Elsevier Science Publishers B.V., Amsterdam

Contents of Volume 92 (1994)

Thermochemical investigations of hydrogen-bonded solutions. Part 2. Comparison of Mobile Order theory versus Mecke–Kempter association model for describing anthracene solubilities in binary hydrocarbon + alcohol solvent mixtures
W.E. Acree, Jr., A.I. Zvaigzne and S.A. Tucker (Denton, TX, USA) 1–17

Thermochemical investigations of hydrogen-bonded solutions. Part 3. Development of expression for predicting excess enthalpies of ternary alcohol + two inert hydrocarbon systems based upon Mobile Order theory
W.E. Acree, Jr. (Denton, TX, USA) 19–34

Improved models for the prediction of activity coefficients in nearly athermal mixtures. Part I. Empirical modifications of free-volume models
G.M. Kontogeorgis (Lyngby, Denmark), P. Coutsikos, D. Tassios (Zographos, Greece) and A. Fredenslund (Lyngby, Denmark)..... 35–66

Vapor–liquid equilibrium calculation of the system water–hydrogen chloride
S. Brandani, V. Brandani and G. Di Giacomo (L'Aquila, Italy) ... 67–74

Prediction of vapor–liquid equilibrium with the LCVM model: a linear combination of the Vidal and Michelsen mixing rules coupled with the original UNIFAC and the *t*-mPR equation of state
C. Boukouvalas, N. Spiliotis, P. Coutsikos, N. Tzouvaras and D. Tassios (Athens, Greece)..... 75–106

Chemical potentials in dilute, multicomponent solutions
D.A. Jonah and H.D. Cochran (Oak Ridge, TN, USA) 107–137

Solubilities of N_2, H_2, Ar in 1-octanol at high pressure
X. Lu, Z. Wu and Y.C. Hou (Hangzhou, China)..... 139–148

Vapor–liquid equilibria of binary refrigerant mixtures containing propylene or R134a
R. Kleiber (Braunschweig, Germany)..... 149–194

Volumetric measurements for 1,1-dichloro-1-fluoroethane (R141b) in the temperature range 278.15 to 338.15 K and pressure range from 0.1 to 380 MPa
R. Malhotra and L.A. Woolf (Canberra, A.C.T., Australia)..... 195–213

Vapor–liquid equilibrium for carbon dioxide/alcohol systems
M.-J. Lee and J.-T. Chen (Taipei, Taiwan)..... 215–231

Thermochemical investigations of hydrogen-bonded solutions: development of a predictive equation for the solubility of anthracene in binary hydrocarbon + alcohol mixtures based upon Mobile Order theory
W.E. Acree, Jr., A.I. Zvaigzne and S.A. Tucker (Denton, TX, USA) 233–253

Measurement of Vapour–Liquid Equilibrium data and caloric data for the system CH_3OH–HCl
H. Staatz (Aachen, Germany)..... 255–269

Effect of polyethylene oxide on gas hydrate phase equilibria
P. Englezos and Y.T. Ngan (Vancouver, B.C., Canada) 271–288

High pressure phase equilibrium studies for the carbon dioxide/α-tocopherol (vitamin E) system
U. Meier, F. Gross and Ch. Trepp (Zurich, Switzerland) 289–302
Self-association of substituted benzoic acids. Isopiestic studies of meta- and para-substituted benzoic acids
R. Barela, H. Buchowski and H. Szatyłowicz (Warsaw, Poland) ... 303–312

Corrigendum 313

Subject Index 315

Author Index 316

Contents of Volume 92 (1994) 317–318